ELSEVIER

Journal of Affective Disorders 70 (2002) 343–345

JOURNAL OF AFFECTIVE DISORDERS

www.elsevier.com/locate/jad

Author index

Aalto-Setälä, T., Marttunen, M., Tuulio-Henriksson, A., Poikolainen, K. and Lönnqvist, J.
Psychiatric treatment seeking and psychosocial impairment among young adults with depression (70) 35
Abay, E., see Elbi, H. (70) 77
Andrew, J.E., see Eagles, J.M. (70) 337
Aoki, S., see Morishita, S. (70) 329
Avasthi, A., see Sharma, P. (70) 205
Ågren, H., see Ehnvall, A. (70) 67

Barbui, C., Tognoni, G. and Garattini, S.
Clinical databases of patients receiving antidepressants. The missing link between research and practice? (70) 191
Bekaroğlu, M., see Elbi, H. (70) 77
Birmaher, B., see Rao, U. (70) 273
Blom, M.B.J., see Griens, A.M.G.F. (70) 95
Bogetto, F., see Rocca, P. (70) 313
Borgherini, G., see Dorz, S. (70) 49
Bousquet, A., see Righetti-Veltema, M. (70) 291
Bremner, J.D., see Elzinga, B.M. (70) 1
Butler, R., see Prabhakaran, P. (70) 319

Cameron, I.M., see Eagles, J.M. (70) 337
Candido, C.L. and Romney, D.M.
Depression in paranoid and nonparanoid schizophrenic patients compared with major depressive disorder (70) 261
Chakrabarti, S., see Sharma, P. (70) 205
Cognolato, S., see Dorz, S. (70) 49
Cohen, L.S., Soares, C.N., Otto, M.W., Sweeney, B.H., Liberman, R.F. and Harlow, B.L.
Prevalence and predictors of premenstrual dysphoric disorder (PMDD) in older premenopausal women. The Harvard Study of Moods and Cycles (70) 125
Conforti, D., see Dorz, S. (70) 49
Conne-Perréard, E., see Righetti-Veltema, M. (70) 291
Couvée, J.E., Timmermans, M.A.Y. and Zitman, F.G.
The long-term outcome of a benzodiazepine discontinuation programme in depressed outpatients (70) 133

Dahl, R.E., see Rao, U. (70) 273
DelBello, M.P., see Soutullo, C.A. (70) 323
Dijkstra, J.B., Strik, J.J.M.H., Lousberg, R., Prickaerts, J., Riedel, W.J., Jolles, J., van Praag, H.M. and Honig, A.
Atypical cognitive profile in patients with depression after myocardial infarction (70) 181

Dorz, S., Borgherini, G., Cognolato, S., Conforti, D., Fiorellini, A.L., Scarso, C. and Magni, G.
Social adjustment in in-patients with affective disorders: predictive factors (70) 49

Eagles, J.M., Andrew, J.E., Wileman, S.M., Howie, F.L., Cameron, I.M. and Naji, S.A.
Seasonal affective disorder and social deprivation in Aberdeen (70) 337
Ehnvall, A. and Ågren, H.
Patterns of sensitisation in the course of affective illness. A life-charting study of treatment-refractory depressed patients (70) 67
Elbi, H., Noyan, A., Korukoğlu, S., Ünal, S., Bekaroğlu, M., Oğuzhanoğlu, N., Türköz, N., Abay, E., Kumbasar, H. and Yurdakul, S.
Seasonal affective disorder in eight groups in Turkey: a cross-national perspective (70) 77
Elzinga, B.M. and Bremner, J.D.
Are the neural substrates of memory the final common pathway in posttraumatic stress disorder (PTSD)? (70) 1

Fergus, E., see Post, R.M. (70) 117
Fiorellini, A.L., see Dorz, S. (70) 49
Fonzo, V., see Rocca, P. (70) 313
Fournes, O., see Suárez-Richards, M. (70) 333

Garattini, S., see Barbui, C. (70) 191
Gavirneni, S., see Regenold, W.T. (70) 19
Glaudin, V., see Smith, W.T. (70) 251
Goodwin, R.D. and Hoven, C.W.
Bipolar–panic comorbidity in the general population: prevalence and associated morbidity (70) 27
Griens, A.M.G.F., Jonker, K., Spinhoven, P. and Blom, M.B.J.
The influence of depressive state features on trait measurement (70) 95

Hakko, H., see Koskinen, O. (70) 197
Harlow, B.L., see Cohen, L.S. (70) 125
Haw, C., Houston, K., Townsend, E. and Hawton, K.

PII: S0165-0327(02)00228-8

Deliberate self harm patients with depressive disorders: treatment and outcome (70) 57
Hawton, K., see Haw, C. (70) 57
Hengst, K., see Schiemann, U. (70) 85
Honig, A., see Dijkstra, J.B. (70) 181

Houston, K., see Haw, C. (70) 57
Hoven, C.W., see Goodwin, R.D. (70) 27
Howie, F.L., see Eagles, J.M. (70) 337

Jain, S., see Somanath, C.P. (70) 91
Janardhan Reddy, Y.C., see Somanath, C.P. (70) 91
Jenkusky, S., see Uhlenhuth, E.H. (70) 241
Jolles, J., see Dijkstra, J.B. (70) 181
Jonker, K., see Griens, A.M.G.F. (70) 95
Joyce, P.R., see Luty, S.E. (70) 143
Joyce, P.R., see Luty, S.E. (70) 307
Joyce, P.R., see Rae, A.M. (70) 281

Kamijima, K., see Ohishi, M. (70) 165
Kaufman, J., see Rao, U. (70) 273
Keck Jr., P.E., see Soutullo, C.A. (70) 323
Klein, D.N., see Shankman, S.A. (70) 211
Kondapavuluru, P.V., see Regenold, W.T. (70) 19
Korukoğlu, S., see Elbi, H. (70) 77
Koskinen, O., Pukkila, K., Hakko, H., Tiihonen, J., Väisänen, E., Särkioja, T. and Räsänen, P.
Is occupation relevant in suicide? (70) 197
Kumbasar, H., see Elbi, H. (70) 77

Leverich, G.S., see Post, R.M. (70) 117
Liberman, R.F., see Cohen, L.S. (70) 125
Linaker, O.M., see Sund, A.M. (70) 175
Londborg, P.D., see Smith, W.T. (70) 251
Lönnqvist, J., see Aalto-Setälä, T. (70) 35
Lousberg, R., see Dijkstra, J.B. (70) 181
Luckenbaugh, D., see Post, R.M. (70) 117
Luty, S.E., Joyce, P.R., Mulder, R.T. and McKenzie, J.M.
Social adjustment in depression: the impact of depression severity, personality, and clinic versus community sampling (70) 143
Luty, S.E., Joyce, P.R., Mulder, R.T., F. Sullivan, P. and McKenzie, J.M.
The interpersonal sensitivity measure in depression: associations with temperament and character (70) 307
Luty, S.E., see Rae, A.M. (70) 281

Magni, G., see Dorz, S. (70) 49
Manzano, J., see Righetti-Veltema, M. (70) 291
Marano, C., see Regenold, W.T. (70) 19
Marijnissen, G., Tuinier, S., Sijben, A.E.S. and Verhoeven, W.M.A.
The temperament and character inventory in major depression (70) 219
Marttunen, M., see Aalto-Setälä, T. (70) 35
Matuzas, W., see Uhlenhuth, E.H. (70) 241
Mazmanian, D., see Oinonen, K.A. (70) 229
McCarty, T., see Uhlenhuth, E.H. (70) 241
McElroy, S.L., see Soutullo, C.A. (70) 323
McKenzie, J.M., see Luty, S.E. (70) 143
McKenzie, J.M., see Luty, S.E. (70) 307
Miller, R., see Post, R.M. (70) 117
Miyatake, R.K., see Riso, L.P. (70) 103
Monroe, S.M., see Quiring, J.M. (70) 155

Morishita, S. and Aoki, S.
Effects of tricyclic antidepressants on protein kinase C activity in rabbit and human platelets in vivo (70) 329
Morken, G., see Sund, A.M. (70) 175
Mulder, R.T., see Luty, S.E. (70) 143
Mulder, R.T., see Luty, S.E. (70) 307
Mulder, R.T., see Rae, A.M. (70) 281

Naji, S.A., see Eagles, J.M. (70) 337
Noyan, A., see Elbi, H. (70) 77

Ochsner, J.E., see Soutullo, C.A. (70) 323
Oğuzhanoğlu, N., see Elbi, H. (70) 77
Ohishi, M. and Kamijima, K.
A comparison of characteristics of depressed patients and efficacy of sertraline and amitriptyline between Japan and the West (70) 165
Oinonen, K.A. and Mazmanian, D.
To what extent do oral contraceptives influence mood and affect? (70) 229
Otto, M.W., see Cohen, L.S. (70) 125

Painter, J.R., see Smith, W.T. (70) 251
Poikolainen, K., see Aalto-Setälä, T. (70) 35
Post, R.M., Leverich, G.S., Fergus, E., Miller, R. and Luckenbaugh, D.
Parental attitudes towards early intervention in children at high risk for affective disorders (70) 117
Prabhakaran, P. and Butler, R.
What are older peoples' experiences of taking antidepressants? (70) 319
Prickaerts, J., see Dijkstra, J.B. (70) 181
Pukkila, K., see Koskinen, O. (70) 197

Quiring, J.M., Monroe, S.M., Simons, A.D. and Thase, M.E.
Does early intervention increase latency to relapse in major depressive disorder?: re-evaluation with cognitive behavior therapy (70) 155

Rae, A.M., Joyce, P.R., Luty, S.E. and Mulder, R.T.
The effect of a history of alcohol dependence in adult major depression (70) 281
Rao, R., see Rao, U. (70) 273
Rao, U., Dahl, R.E., Ryan, N.D., Birmaher, B., Williamson, D.E., Rao, R. and Kaufman, J.
Heterogeneity in EEG sleep findings in adolescent depression: unipolar versus bipolar clinical course (70) 273
Räsänen, P., see Koskinen, O. (70) 197
Ravizza, L., see Rocca, P. (70) 313
Regenold, W.T., Thapar, R.K., Marano, C., Gavirneni, S. and Kondapavuluru, P.V.

Increased prevalence of type 2 diabetes mellitus among psychiatric inpatients with bipolar I affective and schizoaffective disorders independent of psychotropic drug use (70) 19
Riedel, W.J., see Dijkstra, J.B. (70) 181
Righetti-Veltema, M., Conne-Perréard, E., Bousquet, A. and Manzano, J.
Postpartum depression and mother–infant relationship at 3 months old (70) 291

Riso, L.P., Miyatake, R.K. and Thase, M.E.
The search for determinants of chronic depression: a review of six factors (70) 103
Roberts, B., see Uhlenhuth, E.H. (70) 241
Rocca, G., see Rocca, P. (70) 313
Rocca, P., Fonzo, V., Ravizza, L., Rocca, G., Scotta, M., Zanalda, E. and Bogetto, F.
A comparison of paroxetine and amisulpride in the treatment of dysthymic disorder (70) 313
Romney, D.M., see Candido, C.L. (70) 261
Ryan, N.D., see Rao, U. (70) 273

Särkioja, T., see Koskinen, O. (70) 197
Scarso, C., see Dorz, S. (70) 49
Schiemann, U. and Hengst, K.
Thyroid echogenicity in manic-depressive patients receiving lithium therapy (70) 85
Scotta, M., see Rocca, P. (70) 313
Shankman, S.A. and Klein, D.N.
The impact of comorbid anxiety disorders on the course of dysthymic disorder: a 5-year prospective longitudinal study (70) 211
Sharma, P., Avasthi, A., Chakrabarti, S. and Varma, S.
Depression among hospitalised medically ill patients: a two-stage screening study (70) 205
Sijben, A.E.S., see Marijnissen, G. (70) 219
Simons, A.D., see Quiring, J.M. (70) 155
Smith, W.T., Londborg, P.D., Glaudin, V. and Painter, J.R.
Is extended clonazepam cotherapy of fluoxetine effective for outpatients with major depression? (70) 251
Soares, C.N., see Cohen, L.S. (70) 125
Somanath, C.P., Jain, S. and Janardhan Reddy, Y.C.
A family study of early-onset bipolar I disorder (70) 91
Soutullo, C.A., DelBello, M.P., Ochsner, J.E., McElroy, S.L., Taylor, S.A., Strakowski, S.M. and Keck, P.E.
Severity of bipolarity in hospitalized manic adolescents with history of stimulant or antidepressant treatment (70) 323
Spinhoven, Ph., see Griens, A.M.G.F. (70) 95
Starcevic, V., see Uhlenhuth, E.H. (70) 241
Strakowski, S.M., see Soutullo, C.A. (70) 323
Strik, J.J.M.H., see Dijkstra, J.B. (70) 181

Suárez-Richards, M. and Fournes, O.
Erotomania preceding an aneurysmal subarachnid hemorrhage: is there an association? (70) 333
Sullivan, P.F., see Luty, S.E. (70) 307
Sund, A.M., Morken, G. and Linaker, O.M.
Seasonal variations in children's calls to a help-line: implications for preventive services (70) 175
Sweeney, B.H., see Cohen, L.S. (70) 125

Taylor, S.A., see Soutullo, C.A. (70) 323
Thapar, R.K., see Regenold, W.T. (70) 19
Thase, M.E., see Quiring, J.M. (70) 155
Thase, M.E., see Riso, L.P. (70) 103
Tiihonen, J., see Koskinen, O. (70) 197
Timmermans, M.A.Y., see Couvée, J.E. (70) 133
Tognoni, G., see Barbui, C. (70) 191
Townsend, E., see Haw, C. (70) 57
Tuinier, S., see Marijnissen, G. (70) 219
Türköz, N., see Elbi, H. (70) 77
Tuulio-Henriksson, A., see Aalto-Setälä, T. (70) 35

Uhlenhuth, E.H., Starcevic, V., Warner, T.D., Matuzas, W., McCarty, T., Roberts, B. and Jenkusky, S.
A general anxiety-prone cognitive style in anxiety disorders (70) 241
Ünal, S., see Elbi, H. (70) 77

Väisänen, E., see Koskinen, O. (70) 197
van Praag, H.M., see Dijkstra, J.B. (70) 181
Varma, S., see Sharma, P. (70) 205
Verhoeven, W.M.A., see Marijnissen, G. (70) 219

Warner, T.D., see Uhlenhuth, E.H. (70) 241
Wileman, S.M., see Eagles, J.M. (70) 337
Williamson, D.E., see Rao, U. (70) 273

Yurdakul, S., see Elbi, H. (70) 77

Zanalda, E., see Rocca, P. (70) 313
Zitman, F.G., see Couvée, J.E. (70) 133

ELSEVIER

Journal of Affective Disorders 70 (2002) 346–349

JOURNAL OF AFFECTIVE DISORDERS

www.elsevier.com/locate/jad

Subject index

ADHD; Bipolar disorder; Stimulants; Anti-depressants; Adolescents **70,** 27

Adolescent; Unipolar depression; Bipolar disorder; EEG sleep; Clinical course **70,** 273

Adolescent onset; Bipolar disorder; Familial aggregation **70,** 91

Adolescents; Bipolar disorder; Stimulants; Anti-depressants; ADHD **70,** 27

Adolescents; Season; Children; Help-line; Latitude **70,** 175

Affect; Oral contraceptives; Hormones; Mood; Estrogen; Progesterone **70,** 229

Age; Occupation; Suicide; Seasonal variation; Method **70,** 197

Alcohol Dependence; Depression; Comorbidity **70,** 281

Amisulpride; Dysthymic disorder; Paroxetine; Treatment; Factor analysis **70,** 313

Amitriptyline; Depression; HAM-D; Meta-analysis; Sertraline; Japan **70,** 165

Amygdala; Memory; Posttraumatic stress disorder (PTSD); Hippocampus; Prefrontal cortex **70,** 1

Aneurysmal subarachnid hemorrhage; Erotomania **70,** 333

Antidepressant responsiveness; Major depression; TCI; Harm avoidance **70,** 219

Antidepressants; Depression; Attempted suicide; Treatment **70,** 57

Antidepressants; Clinical database; Randomised control trial **70,** 191

Antidepressants; Elderly; Depression; Compliance **70,** 319

Anti-depressants; Bipolar disorder; Stimulants; Adolescents; ADHD **70,** 27

Anxiety disorder; Comorbidity; Dysthymic disorder; Course of depression **70,** 211

Anxiety disorders; Cognitive style; Comorbidity; Depressive disorders **70,** 241

Attempted suicide; Depression; Antidepressants; Treatment **70,** 57

Benzodiazepine prescription; Chronic use; Depression **70,** 133

Bipolar; Diabetes mellitus; Depression; Schizoaffective; Schizophrenia **70,** 19

Bipolar disorder; Stimulants; Anti-depressants; Adolescents; ADHD **70,** 27

Bipolar disorder; Adolescent onset; Familial aggregation **70,** 91

Bipolar disorder; Mania; Childhood; Early intervention **70,** 117

Bipolar disorder; Unipolar depression; EEG sleep; Adolescent; Clinical course **70,** 273

Childhood; Bipolar disorder; Mania; Early intervention **70,** 117

Children; Season; Adolescents; Help-line; Latitude **70,** 175

Chronic depression; Dysthymic disorder; Dysthymia **70,** 103

Chronic use; Benzodiazepine prescription; Depression **70,** 133

Clinical course; Unipolar depression; Bipolar disorder; EEG sleep; Adolescent **70,** 273

Clinical database; Antidepressants; Randomised control trial **70,** 191

Clonazepam; Cotherapy; Fluoxetine; Major Depression; Side effects (drug); Drug therapy **70,** 251

Cognition; Myocardial infarction; Depression **70,** 181

Cognitive style; Anxiety disorders; Comorbidity; Depressive disorders **70,** 241

Comorbidity; Depression; Impairment; Psychiatric treatment; Young adults **70,** 35

Comorbidity; Dysthymic disorder; Anxiety disorder; Course of depression **70,** 211

Comorbidity; Anxiety disorders; Cognitive style; Depressive disorders **70,** 241

Comorbidity; Depression; Alcohol Dependence **70,** 281

Compliance; Elderly; Depression; Antidepressants **70,** 319

Cotherapy; Clonazepam; Fluoxetine; Major Depression; Side effects (drug); Drug therapy **70,** 251

Course of depression; Comorbidity; Dysthymic disorder; Anxiety disorder **70,** 211

Depression; Diabetes mellitus; Bipolar; Schizoaffective; Schizophrenia **70,** 19

PII: S0165-0327(02)00229-X

Depression; Comorbidity; Impairment; Psychiatric treatment; Young adults **70,** 35

Depression; Social adjustment; Predictive factors **70,** 49

Depression; Attempted suicide; Antidepressants; Treatment **70,** 57

Depression; Therapy refractoriness; Life charting; Sensitisation; Kindling **70,** 67

Depression; Personality; Temporal stability **70,** 95

Depression; Benzodiazepine prescription; Chronic use **70,** 133

Depression; Social adjustment; Personality **70,** 143

Depression; Early intervention; Time to treatment entry; Relapse risk; Major depressive disorder **70,** 155

Depression; HAM-D; Meta-analysis; Sertraline; Amitriptyline; Japan **70,** 165

Depression; Myocardial infarction; Cognition **70,** 181

Depression; Physical illness; Two-stage screening **70,** 205

Depression; Schizophrenia; Paranoid; Nonparanoid **70,** 261

Depression; Alcohol Dependence; Comorbidity **70,** 281

Depression; Interpersonal theory; Interpersonal Sensitivity; Personality **70,** 307

Depression; Elderly; Antidepressants; Compliance **70,** 319

Depression; Protein kinase C; Tricyclic antidepressant; Serotonin; Noradrenaline; Down-regulation **70,** 329

Depressive disorder; Seasonal affective disorder; Psychosocial deprivation; Socioeconomic factors **70,** 337

Depressive disorders; Anxiety disorders; Cognitive style; Comorbidity **70,** 241

Diabetes mellitus; Depression; Bipolar; Schizoaffective; Schizophrenia **70,** 19

Down-regulation; Protein kinase C; Tricyclic antidepressant; Serotonin; Noradrenaline; Depression **70,** 329

Drug therapy; Clonazepam; Cotherapy; Fluoxetine; Major Depression; Side effects (drug) **70,** 251

Drug-induced dysfunction; Lithium; Hypothyroidism; Thyroid volume; Manic-depression **70,** 85

Dysthymia; Dysthymic disorder; Chronic depression **70,** 103

Dysthymic disorder; Dysthymia; Chronic depression **70,** 103

Dysthymic disorder; Comorbidity; Anxiety disorder; Course of depression **70,** 211

Dysthymic disorder; Paroxetine; Amisulpride; Treatment; Factor analysis **70,** 313

Early intervention; Bipolar disorder; Mania; Childhood **70,** 117

Early intervention; Time to treatment entry; Relapse risk; Depression; Major depressive disorder **70,** 155

EEG sleep; Unipolar depression; Bipolar disorder; Adolescent; Clinical course **70,** 273

Elderly; Depression; Antidepressants; Compliance **70,** 319

Erotomania; Aneurysmal subarachnid hemorrhage **70,** 333

Estrogen; Oral contraceptives; Affect; Hormones; Mood; Progesterone **70,** 229

Factor analysis; Dysthymic disorder; Paroxetine; Amisulpride; Treatment **70,** 313

Familial aggregation; Bipolar disorder; Adolescent onset **70,** 91

Fluoxetine; Clonazepam; Cotherapy; Major Depression; Side effects (drug); Drug therapy **70,** 251

HAM-D; Depression; Meta-analysis; Sertraline; Amitriptyline; Japan **70,** 165

Harm avoidance; Major depression; TCI; Antidepressant responsiveness **70,** 219

Help-line; Season; Children; Adolescents; Latitude **70,** 175

Hippocampus; Memory; Posttraumatic stress disorder (PTSD); Amygdala; Prefrontal cortex **70,** 1

Hormones; Oral contraceptives; Affect; Mood; Estrogen; Progesterone **70,** 229

Hypothyroidism; Lithium; Thyroid volume; Manic-depression; Drug-induced dysfunction **70,** 85

Impairment; Depression; Comorbidity; Psychiatric treatment; Young adults **70,** 35

Infant development; Postpartum depression; Mother–infant relationship **70,** 291

Interpersonal Sensitivity; Interpersonal theory; Depression; Personality **70,** 307

Interpersonal theory; Depression; Interpersonal Sensitivity; Personality **70,** 307

Japan; Depression; HAM-D; Meta-analysis; Sertraline; Amitriptyline **70,** 165

Kindling; Depression; Therapy refractoriness; Life charting; Sensitisation **70,** 67

Latitude; SAD; Winter depression; Turkey; Prevalence **70,** 77

Latitude; Season; Children; Adolescents; Help-line **70,** 175

Life charting; Depression; Therapy refractoriness; Sensitisation; Kindling **70,** 67

Lithium; Hypothyroidism; Thyroid volume; Manic-depression; Drug-induced dysfunction **70,** 85

Major depression; TCI; Harm avoidance; Antidepressant responsiveness **70,** 219

Major Depression; Clonazepam; Cotherapy; Fluoxetine; Side effects (drug); Drug therapy **70,** 251

Major depressive disorder; Early intervention; Time to treatment entry; Relapse risk; Depression **70,** 155

Mania; Bipolar disorder; Childhood; Early intervention **70,** 117

Manic-depression; Lithium; Hypothyroidism; Thyroid volume; Drug-induced dysfunction **70,** 85

Memory; Posttraumatic stress disorder (PTSD); Hippocampus; Amygdala; Prefrontal cortex **70,** 1

Meta-analysis; Depression; HAM-D; Sertraline; Amitriptyline; Japan **70,** 165

Method; Occupation; Suicide; Seasonal variation; Age **70,** 197

Mood; Oral contraceptives; Affect; Hormones; Estrogen; Progesterone **70,** 229

Mother–infant relationship; Postpartum depression; Infant development **70,** 291

Myocardial infarction; Depression; Cognition **70,** 181

Nonparanoid; Schizophrenia; Depression; Paranoid **70,** 261

Noradrenaline; Protein kinase C; Tricyclic antidepressant; Serotonin; Down-regulation; Depression **70,** 329

Occupation; Suicide; Seasonal variation; Method; Age **70,** 197

Oral contraceptives; Affect; Hormones; Mood; Estrogen; Progesterone **70,** 229

Paranoid; Schizophrenia; Depression; Nonparanoid **70,** 261

Paroxetine; Dysthymic disorder; Amisulpride; Treatment; Factor analysis **70,** 313

Personality; Depression; Temporal stability **70,** 95

Personality; Depression; Social adjustment **70,** 143

Personality; Interpersonal theory; Depression; Interpersonal Sensitivity **70,** 307

Physical illness; Depression; Two-stage screening **70,** 205

PMDD; PMS; Prevalence; Predictors; Premenstrual dysphoric disorder **70,** 125

PMS; Prevalence; Predictors; Premenstrual dysphoric disorder; PMDD **70,** 125

Postpartum depression; Mother–infant relationship; Infant development **70,** 291

Posttraumatic stress disorder (PTSD); Memory; Hippocampus; Amygdala; Prefrontal cortex **70,** 1

Predictive factors; Social adjustment; Depression **70,** 49

Predictors; PMS; Prevalence; Premenstrual dysphoric disorder; PMDD **70,** 125

Prefrontal cortex; Memory; Posttraumatic stress disorder (PTSD); Hippocampus; Amygdala **70,** 1

Premenstrual dysphoric disorder; PMS; Prevalence; Predictors; PMDD **70,** 125

Prevalence; SAD; Winter depression; Turkey; Latitude **70,** 77

Prevalence; PMS; Predictors; Premenstrual dysphoric disorder; PMDD **70,** 125

Progesterone; Oral contraceptives; Affect; Hormones; Mood; Estrogen **70,** 229

Protein kinase C; Tricyclic antidepressant; Serotonin; Noradrenaline; Down-regulation; Depression **70,** 329

Psychiatric treatment; Depression; Comorbidity; Impairment; Young adults **70,** 35

Psychosocial deprivation; Seasonal affective disorder; Socioeconomic factors; Depressive disorder **70,** 337

Randomised control trial; Antidepressants; Clinical database **70,** 191

Relapse risk; Early intervention; Time to treatment entry; Depression; Major depressive disorder **70,** 155

SAD; Winter depression; Turkey; Latitude; Prevalence **70,** 77

Schizoaffective; Diabetes mellitus; Depression; Bipolar; Schizophrenia **70,** 19

Schizophrenia; Diabetes mellitus; Depression; Bipolar; Schizoaffective **70,** 19

Schizophrenia; Depression; Paranoid; Nonparanoid **70,** 261

Season; Children; Adolescents; Help-line; Latitude **70,** 175

Seasonal affective disorder; Psychosocial deprivation; Socioeconomic factors; Depressive disorder **70,** 337

Seasonal variation; Occupation; Suicide; Method; Age **70,** 197

Sensitisation; Depression; Therapy refractoriness; Life charting; Kindling **70,** 67

Serotonin; Protein kinase C; Tricyclic antidepressant; Noradrenaline; Down-regulation; Depression **70,** 329

Sertraline; Depression; HAM-D; Meta-analysis; Amitriptyline; Japan **70,** 165

Side effects (drug); Clonazepam; Cotherapy; Fluoxetine; Major Depression; Drug therapy **70,** 251

Social adjustment; Depression; Predictive factors **70,** 49

Social adjustment; Depression; Personality **70,** 143

Socioeconomic factors; Seasonal affective disorder; Psychosocial deprivation; Depressive disorder **70,** 337

Stimulants; Bipolar disorder; Anti-depressants; Adolescents; ADHD **70,** 27

Suicide; Occupation; Seasonal variation; Method; Age **70,** 197

TCI; Major depression; Harm avoidance; Antidepressant responsiveness **70,** 219

Temporal stability; Personality; Depression **70,** 95

Therapy refractoriness; Depression; Life charting; Sensitisation; Kindling **70,** 67

Thyroid volume; Lithium; Hypothyroidism; Manic-depression; Drug-induced dysfunction **70,** 85

Time to treatment entry; Early intervention; Relapse risk; Depression; Major depressive disorder **70,** 155

Treatment; Depression; Attempted suicide; Antidepressants **70,** 57

Treatment; Dysthymic disorder; Paroxetine; Amisulpride; Factor analysis **70,** 313

Tricyclic antidepressant; Protein kinase C; Serotonin; Noradrenaline; Down-regulation; Depression **70,** 329

Turkey; SAD; Winter depression; Latitude; Prevalence **70,** 77

Two-stage screening; Depression; Physical illness **70,** 205

Unipolar depression; Bipolar disorder; EEG sleep; Adolescent; Clinical course **70,** 273

Winter depression; SAD; Turkey; Latitude; Prevalence **70,** 77

Young adults; Depression; Comorbidity; Impairment; Psychiatric treatment **70,** 35